


@
SD391
S3 R3

@

SU391
S3R3



New York
State College of Agriculture
At Cornell University
Ithaca, N. Y.

Library

SD 391.S3R3 Cornell University Library

A standard linear barcode is positioned horizontally across the page. Above the barcode, the title 'Vocabulary of forest terms, silviculture,' is printed in a bold, black, sans-serif font.

man

DATE DUE

DEMCO 38-297



VOCABULARY OF FOREST TERMS

SILVICULTURE,
FOREST PROTECTION, FOREST UTILIZATION

FOUND IN

SCHWAPPACH'S "FORSTWISSENSCHAFT"

COMPILED BY
WM. A. A. REINHARDT, A. B.

STATE FOREST ACADEMY, MONT ALTO, PA.
1909

HARRISBURG:
C. E. Aughinbaugh, Printer to the State of Pennsylvania
1909

@

S D 391

S 3 R 3

@ 17342



(2)

Bulletin #5

Abblättern—peeling off.
Abbrennen—burning off.
Abflutung—flooding off.
abgängig—hypermature.
Abhauen—cutting.
Abhieb—cutting off.
Ableger—layer.
Absatz—sale.
Abschluss—closing off.
Abschürfen—scurfing, scraping.
Abschwächung—weakening.
Abschwemmung—flooding off.
Abstand—distance apart.
Abstellung—removal.
Abstrich—knocking down, abating auction sale.
Abstufung—gradation.
Abtriebsschlag—final fell-ing.
Afterraupe—larva of hymenoptera.
Ahorn—maple.
Akazie—acacia.
Akkordverkauf—agreement sale.
Alterstufung—age grade at-tion.
Altholzalter—age of old wood, old age.
anbauen—cultivate.
anfallen—fell, cut down.
anfertigen—arrange, fix.
angehend—young.
angemessen—suitable.

Anhalt—halt, limit, indica-tion.
Anhaltspunkt—halt ing-place.
Anpassung—svermögen—adaptability.
Antrieb—inducement.
Anzucht—raising, rearing.
Arbeitsbedarf—labor supply.
 =kraft—labor strength.
 =verdienst—remunera-tive em-ployment.
Arsenikweizen—arsenic wheat.
Aspe—aspen.
Ast—branch.
 =streu—litter of branches.
 =stummel—snag.
Astung—lopping.
Ätzkalk—quick lime.
Aufarbeitung—working up.
 ='forstung—afforestation.
 =frieren—frost lifting.
 =hieb—clearing, cutting up.
 =lodern—kindling.
 =platzen—bursting.
aufstapeln—to pile up.
Aufstrich—rising auction sale.
 =treibung—swelling.
 =trieb—driving in.
Auge—bud.
Ausfrieren—frost-lifting.
ausgiebig—abundant.

A.—Continued.

| |
|---|
| <i>Aushagerung</i> —i m p o verish- ment. |
| = <i>hieb</i> —extraction, c u t- ting out. |
| <i>auskesseln</i> —to kettle out. |
| = <i>klengen</i> —to cone, husk. |
| <i>Ausläuterung</i> —c l e a n i n g, clearing. |
| = <i>roden</i> —uprooting. |
| = <i>rupfen</i> —tearing out. |
| = <i>schcidung</i> —r e m o v a l, s e p a r a- tion. |

| |
|---|
| <i>Ausschlag</i> —shoot, sprout. |
| = <i>schlagsfähigkeit</i> — abi- lity to sprout. |
| = <i>wühlen</i> —uprooting. |
| = <i>zugshauung</i> —e x t r a c- tion of old trees from young woods. |
| <i>austrocknend</i> —dessicating. |
| <i>Auwaldung</i> —forest on land liable to in- undation. |

B.

| |
|---|
| <i>Ballenkamp</i> —ball-plant nur- sery. |
| <i>ballenlos</i> —unballed. |
| <i>Ballenpflanze</i> —ball-plant. |
| <i>Band</i> —band. |
| <i>Bankskiefer</i> — <i>Pinus Bank-</i> <i>siana</i> . |
| <i>Baumfrucht</i> —tree fruit. |
| = <i>schule</i> —nursery. |
| <i>bedrängen</i> —crowd. |
| <i>Beeinträchtigung</i> —injury. |
| <i>Beerkraut</i> —bilberry. |
| <i>Behandlung</i> —treatment. |
| <i>Beherbergung</i> —sheltering. |
| <i>beherrscht</i> —dominated. |
| <i>Beimischung</i> —admixture. |
| <i>Belaubung</i> —foliage. |
| <i>Benutzung</i> —utilization. |
| <i>Benützungsweise</i> —m a n n e r of utilization. |

| |
|--|
| <i>Berechtigungsgrenze</i> —p r o- scriptive boundary. |
| <i>Bergahorn</i> —m o u n t a i n maple. |
| = <i>erle</i> —mountain alder. |
| <i>Berufs- und Gewerbezählung</i> —Census of Trades and Occupations. |
| <i>Besamung</i> —seeding |
| <i>Beschaffenheit</i> —c o n s t i t u- tion. |
| <i>Beschirmung</i> —shelter. |
| <i>Beschneidung</i> —pruning. |
| <i>Besenpfriem</i> —c o m m o n broom. |
| <i>Besichtigung</i> —surveying. |
| <i>Bestand</i> —stand, crop. |
| <i>bestandbildend</i> —f o r m i n g stands. |

| | |
|---|--|
| <i>Bestandesanlage</i> —formation of woods. | <i>Blaubeere</i> —bilberry. |
| = <i>b e g r ü n d u n g</i> —foundation of stands. | = <i>werden</i> —becoming blue. |
| = <i>erziehung</i> —tending of the crop. | <i>Blockverkauf</i> —block sale, sale of standing trees by area. |
| = <i>loch</i> —gap in stand. | <i>Blumentopf</i> —flower pot. |
| = <i>material</i> —crop material. | <i>Blutmehl</i> —dried blood. |
| = <i>pflege</i> —tending of woods. | <i>Boden</i> —soil. |
| = <i>schluss</i> —crowded stand. | = <i>decke</i> —soil cover. |
| = <i>s c h u t z h o l z</i> —stand shelter wood. | = <i>feuer</i> —surf ace fire, ground fire. |
| <i>Bestellung</i> —tillage, cultivation. | = <i>flora</i> —soil flora. |
| <i>Betrag</i> —amount | = <i>pflege</i> —preservation of fertility. |
| <i>Betrieb</i> —management, system, practice, operation. | = <i>schicht</i> —soil layer. |
| <i>Betriebsart</i> —method of management, silvicultural system. | = <i>schutzholtz</i> —soil shelter wood. |
| <i>Bezüge</i> —fees. | = <i>streu</i> —soil litter. |
| <i>Beugsamkeit</i> —flexibility. | = <i>überzug</i> —soil cover. |
| <i>Biegungsfestigkeit</i> —transverse strength. | = <i>vorbearbeitung</i> —preliminary working of soil. |
| <i>Bindigkeit</i> —compactness. | <i>Bohrkäfer</i> —boring beetle, borer. |
| <i>Bindung</i> —binding. | <i>Bordelaise</i> <i>B r ü h e</i> —Bordeaux mixture. |
| <i>Binnenland</i> —inland. | <i>borkig</i> —barky, scabbed. |
| <i>Binse</i> —rush. | <i>Böschung</i> —slope. |
| <i>Birke</i> —birch. | <i>Brandschaden</i> —fire damages, injurious fire. |
| <i>Birschpfad</i> —shooting (stalking) path. | = <i>stiften</i> —incidentism. |
| <i>Blattwespe</i> —saw-fly. | <i>Breitsaat</i> —broadcast sowing. |
| | <i>Bremse</i> —brake. |
| | <i>Brennholz</i> —fuel wood. |
| | = <i>kraft</i> —heating power. |

B.—Continued.

| | |
|--|--|
| <i>Brombeere</i> —blackberry, brambleberry. | <i>Buchenspinner</i> —b e e c h moth. |
| <i>Bruch</i> —swamp, bog. | <i>Buchweizen</i> —buckwheat. |
| <i>Buche</i> —beech. | <i>Büscherpflanzung</i> —multiple planting. |
| <i>Buchenkotyledon en p ilz</i> — b e e c h seedling fungus. | <i>Buschwald</i> —brush wood. |

D.

| | |
|---|--|
| <i>Dampfpflug</i> —steam plow. | <i>Drehwuchs</i> —twisted growth. |
| <i>Daseinskampf</i> —struggle for existence. | <i>Dreiecksverband</i> —triangular planting. |
| <i>Dauer</i> —durability, permanence. | <i>Drillmashchine</i> —drill machine. |
| <i>dauern</i> —permanently. | <i>Drückfestigkeit</i> —resistance to crushing. |
| <i>Derbholz</i> —wood over 7 cm. wide at the smaller end. | <i>Düngung</i> —manuring, fertilizing. |
| <i>dichtgelagert</i> —compact. | <i>Dünkelschlag</i> —seed cutting. |
| <i>Dickung</i> —thicket. | <i>Durchfallast</i> —loose knot. |
| <i>Doppelpflügen</i> —double plowing. | <i>Durchforstung</i> —thinning. |
| <i>Douglasfichte</i> —Douglas spruce. | <i>Durchforstungsbetrieb</i> — thinning system. |
| <i>Drahtgeflecht</i> —wire work. | <i>durchführbar</i> —practicable. |
| <i>Drainröhre</i> —drain-pipe, draining-tile. | <i>Durchwurzelung</i> —spreading of roots. |
| | <i>dürftig</i> —poorly, spare. |

E.

| | |
|--------------------------------------|--------------------------|
| <i>Edelkastanie</i> —sweet chestnut. | <i>Eggen</i> —harrowing. |
| | <i>Eibe</i> —yew. |

E.—Continued.

| | |
|---|---|
| <i>Eiche</i> —oak. | <i>Einzelpflanzung</i> —planting by single individuals. |
| <i>Eichel</i> —acorn. | <i>=reihe</i> —single row. |
| <i>Eichenschälwald un g</i> —oak coppice wood for bark. | <i>einzelständig</i> —isolated. |
| <i>=wickler</i> —oak l e a f roller, oak tortrix. | <i>Elementarereigniss</i> —elemental occurrence. |
| <i>Eigentumsgrenze</i> —o w n e r ship boundary. | <i>Engerling</i> —cockchafer grub. |
| <i>Einfriedigung</i> —fenceing. | <i>Entwässerung</i> —drainage. |
| <i>=griff</i> —attack. | <i>Entwicklung</i> —development. |
| <i>=halten</i> —adherence, retention. | <i>Erdbahn</i> —dirt road. |
| <i>=legung</i> —beginning, start. | <i>=feuer</i> —ground fire. |
| <i>=schlag</i> —yield from fell ing. | <i>=grube</i> —earth pit. |
| <i>=stufen</i> —dibbling. | <i>=weg</i> —dirt road. |
| <i>einschlagen</i> —to heel in. | <i>Erhaltung</i> —support, retention. |
| <i>Einzelbaum</i> —i n d i v i d u a l tree. | <i>Erhebung</i> —elevation. |
| <i>=bruch</i> —i n d i v i dual break. | <i>Erlös</i> —proceeds. |
| <i>=mischung</i> —m i x t u r e by single individuals. | <i>Ernährungsprozess</i> —process of nutrition. |
| | <i>Erwerbender</i> —laborer, wage-earner. |
| | <i>Erzeugnis</i> —product. |
| | <i>Erzeugung</i> —production. |
| | <i>Erziehung</i> —rearing, raising. |
| | <i>Esche</i> —ash. |

F.

| | |
|--|---|
| <i>Fahrlässigkeit</i> —negligence. | <i>Fangbaum</i> —trap tree. |
| <i>Fallrichtung</i> —direction of fall. | <i>=knüppel</i> —trap billet. |
| <i>Fällungszeit</i> —season of fell ing. | <i>=rinde</i> —trap bark. |
| | <i>Farnkraut</i> —fern. |
| | <i>Faschine</i> —fascine, f a g g o t-hurdle. |

| | |
|---|---|
| <i>Fasernlauf</i> —course of fibres. | <i>Forstdiebstahl</i> —forest theft. |
| <i>Fasertorf</i> —fibrous peat. | <i>=frevel</i> —forest offence. |
| <i>Faulbaum</i> —alder-buckthorn. =stellen—rotting. | <i>=gartenbetrieb</i> —n u r . sery practice. |
| <i>fäulniswidrig</i> —rot-resisting. | <i>=politik</i> —forest policy. |
| <i>Fegen</i> —rubbing. | <i>=p o l i z e i ü b e r t r e t u n g</i> — forest offence. |
| <i>Fehlen</i> —failure. | <i>=produkt</i> —forest p r o - duct. |
| <i>Fehler</i> —defect, fault. | <i>=recht</i> —forest law. |
| <i>fehlerhaft</i> —defective, faulty. | <i>=schutz</i> —forest protec- tion. |
| <i>Fehlmast</i> —fail mast, failure. | <i>=s t r a f g e s e t z g e b u n g</i> — legislation of forest penal laws. |
| <i>Feldmaus</i> —field mouse. | <i>=technologie</i> —f o r e s t technology. |
| <i>Femelschlagbetrieb</i> —s e l e c - tion system. | <i>=unkraut</i> —f o r e s t weeds. |
| <i>Festigkeit</i> —hardness. | <i>=verwaltung</i> —f o r e s t administration. |
| <i>Festlegung</i> —determination. | <i>=wirtschaft</i> —forest man- agement. |
| <i>festtreten</i> —stomp fast. | <i>=w i s s e n s c h a f t</i> — forestry. |
| <i>festwalzen</i> —roll fast. | <i>frevelhaft</i> —m i s c h i e v o u s , malicious. |
| <i>Feuchtigkeit</i> —moisture. | <i>Frostleiste</i> —frost-rib. |
| <i>Feuchtigkeitsgehalt</i> —humid- ity. | <i>=riss</i> —frost-fissure. |
| <i>Feuergestell</i> —fire line. =mantel—fire belt. | <i>Fruchtbau</i> —c r o p cultiva- tion. |
| <i>Fichte</i> —Norway spruce. | <i>=beisaat</i> —a d d i t i o n a l crop sowing. |
| <i>Finke</i> —finch. | <i>=träger</i> —fruit-bearer. |
| <i>flächenweise</i> —by areas, spot- wise. | <i>Frühjahrsaat</i> —spring s o w - ing. |
| <i>flachgründig</i> —shallow. =wurzelnd—s h a l l o w rooted. | <i>Füllerde</i> —filling earth. |
| <i>Floss</i> —raft. | |
| <i>Flugfeuer</i> —flying fire. | |
| <i>Flugjahr</i> —swarm year. =sand—drift-sand. | |
| <i>fm=Festmeter</i> —solid, cubic meter. | |
| <i>Forstbenutzung</i> —forest util- ization. | |

| | |
|---|---|
| <i>Gasse</i> —lane. | <i>Graben</i> —ditch. |
| <i>Gassenbruch</i> —lane-break. | <i>Grabestreif</i> —ditch-strip. |
| <i>Gebrechen</i> —imperfection. | <i>Grasflur</i> —meadow. |
| <i>Gefälle</i> —fall. | <i>=narbe</i> —g r a s s c a r, thin cover of grass. |
| <i>Gegenfeuer</i> —back-fire. | |
| <i>Gegenmassregel</i> —preventive measure. | <i>Grenzbeschreibung</i> —description of boundaries. |
| <i>Gehölz</i> —wood. | <i>=gebiet</i> —border region. |
| <i>Geissblatt</i> —h o n e y suckle, woodbine. | <i>=stange</i> —b o u n d a r y pole. |
| <i>Gelände</i> —land, soil. | <i>=zeichen</i> —b o u n d a r y mark. |
| <i>Gérte</i> —sapling. | <i>=zug</i> —boundary line. |
| <i>Gerbstoffgehalt</i> —tannin con- tent. | <i>Grobhachen</i> —coarse hoëing. |
| <i>Gertenholz</i> —sapling wood. | <i>=rinde</i> —coarse bark. |
| <i>Gesamtheit</i> —sum total. =zuwachs—total incre- ment. | <i>grobscholig</i> —coarse (clods). |
| <i>geschoben</i> —shifted. | <i>Grubenholz</i> —mining timber. |
| <i>Gesteinstrümmer</i> —rock par- ticles. | <i>Grundbau</i> —foundation. |
| <i>Gestell</i> —see “ <i>Feuergestell</i> .” | <i>=bestand</i> —ground cov- er. |
| <i>Gestör</i> —raft section. | <i>=satz</i> —principle. |
| <i>Gesträuch</i> —shrubbery. | <i>Gründigkeit</i> —depth of soil. |
| <i>Gewerb</i> —occupation, prac- tice. | <i>grundsätzlich</i> —fundamental- ly. |
| <i>Gewerbetreibender</i> —mechan- ic. | <i>Gründüngung</i> —mulching. |
| <i>geworfen</i> —warped. | <i>Gruppenwirtschaft</i> —g r o up system. |

| | |
|--|---|
| <i>Häckelhache</i> —pronged hoe. | <i>Hackwaldbetrieb</i> —s y s t e m of field crops and |
| <i>Hackstreif</i> —hoed strip. =streu—cutting-litter. | oak coppice. |

| | |
|---|--|
| <i>Hainbuche</i> —hornbeam. | <i>herrschend</i> —predominating, dominant. |
| <i>Halbfabrikat</i> —incompletely manufactured article; =lode—s m a l l t r a n s - plant. (21-50 cm.) | <i>Hexenbesen</i> —w i t c h e s , broom. |
| <i>Hallimasch</i> —honey fungus. | <i>Hiebsergebnis</i> —felling yield. =zug—felling series. |
| <i>Harke</i> —rake. | <i>Himmelsrichtung</i> —c a r d i - nal point, direction. |
| <i>Harz</i> —resin. =erguss—exudation o f resin. | <i>hintanhalten</i> —hold in check, prevent. |
| <i>Rüsselkäfer</i> —r e s i n weevil. | <i>Hippe</i> —billhook. |
| <i>Hasel</i> —hazel. | <i>Hochbestand</i> —high stand. =durchforstung—h i g h thinning, thinning of dominant trunks. |
| <i>Haubarkeit</i> —exploitation. | <i>Hochwaldbetrieb</i> —high for - est system. |
| <i>Haubarbeitsb e s t a n d</i> —ma - ture stand. | <i>hochwertig</i> —highly valua - ble. |
| <i>Hauptberuf</i> —c h i e f occupa - tion. =holzart—chief species. | <i>Höhenentwicklung</i> —h e i g h t development. |
| =nutzung—p r i n c i p a l yield. | =rücken—ridge. |
| <i>Hautflügler</i> —hymenopterous insect. | <i>Holz</i> —wood. =art—tree species. |
| <i>Hegereiser</i> —see “ <i>Lassreitel</i> .” | =bahn—wood road. |
| <i>Heide</i> —heath. | =bedarf—d e m a n d for wood. |
| =kraut—c o m m o n heather. | =bestand—s t a n d i n g crop, tree stand. |
| <i>Heidelbeere</i> —bilberry. | =ertrag—wood yield. |
| <i>Heideplagge</i> —heath sod. | =gewächs—wood growth. |
| <i>heimisch</i> —native. | =masse—wood volume. |
| <i>Heister</i> —high plant, small tree. | =nutzung—wood yield. |
| <i>Heizungszweck</i> —h e a t i n g purpose. | =riese—wood slide. |
| <i>Hemmung</i> —hindrance. | =sortiment—wood assort - ment. |
| <i>Herbstsaat</i> —fall sowing. | |

H.—Continued.

| | |
|-------------------------|------------------------|
| <i>Holzzucht</i> | wood growing. |
| <i>holzverarbeitend</i> | w o o d working. |
| <i>Hornast</i> | horny knot. |
| <i>horstweise</i> | groupwise. |
| <i>Hügelpflanzung</i> | m o u n d planting. |

| | |
|----------------------|-------------------------------------|
| <i>humifiziert</i> | humified. |
| <i>humos</i> | humous. |
| <i>Humusschicht</i> | layer of humus. |
| <i>Hürdengattern</i> | rails pool or (fence), railings. |

J.

| | |
|-------------------|-----------------|
| <i>Jahresring</i> | annual ring. |
| <i>Jäten</i> | weeding. |
| <i>Joch</i> | length of rail. |

| | |
|----------------------|---------------------|
| <i>Johanniskraut</i> | St. John's wort. |
|----------------------|---------------------|

K.

| | |
|--------------------|--|
| <i>Käfer</i> | beetle. |
| <i>Kahlabtrieb</i> | clear-cutting. =fläche—cleared area. |
| | =frass—an eating bare. |
| | =schlag—clear-felling. |
| <i>Kalkboden</i> | calcareous soil. =milch—milk of lime. |
| <i>Kamp</i> | enclosure. |
| <i>Karabiden</i> | Carabidae. |
| <i>Keilspaten</i> | wedge-spade. |
| <i>Keimbett</i> | germinating bed. =kraft—g e r m i n a t i n g power. |
| | =ling—young seedling. |
| | =probe—test of germina- tion. |
| | =ruhe—arrest of germi- nation. |

| | |
|--------------------------|---------------------------------|
| <i>keimfähig</i> | fertile. |
| <i>Keimung</i> | germination. |
| <i>Kerbe</i> | notch. |
| <i>Kern</i> (roter) | heartwood. |
| <i>Kernriss</i> | heart-shake, heart- fissure. |
| | =wuchs—seed-growth. |
| <i>Kiefer</i> | pine. |
| <i>Kiefernbaumschwam</i> | pine-tree fungus. |
| | =eule—pine owl— moth. |
| | =markkäfer—p i n e beetle. |
| | =reisig—pine b r u s h wood. |

| | |
|---|--|
| <i>Kiefernrußelkäfer</i> —pine weevil. | <i>köpfen</i> —to pollard, to top. |
| = <i>schüttepilz</i> —needle-she d d i n g fungus. | <i>Kopfholzbetrieb</i> —pollard ing. |
| = <i>spanner</i> —pine loop er moth. | <i>Kraftmaschine</i> —power ma chine. |
| = <i>spinner</i> —pine moth. | <i>kränkelnd</i> —sickly. |
| = <i>triebwickler</i> —pine shoot tortrix. | <i>Krebs</i> —canker. |
| <i>Kienzopf</i> —top of foxy tree. | <i>crone</i> —crown. |
| <i>Kiesdecke</i> —gravel surface. | <i>Kronenfeuer</i> —crown-fire. |
| <i>Klappflanzung</i> —cleft plant ing. | = <i>schirm</i> —leaf canopy. |
| <i>Klause</i> —lock. | = <i>schluss</i> —c o m p a c t crown. |
| <i>Kleinpflanze</i> —small plant. | <i>Krümelung</i> —cr u m l i n e s s , coarseness (of soil). |
| <i>Klenganstalt</i> —coning estab lishment. | <i>Krummholzkiefer</i> —m o u n tain pine. |
| <i>Klima</i> —climate. | <i>Kulturbetrieb</i> —culture sys tem. |
| <i>klimatisch</i> —climatic. | = <i>fläche</i> —culture area. |
| <i>Kloben</i> —split billet. | = <i>methode</i> —method of culture. |
| <i>Knochenmehl</i> —ground bone, bone dust. | = <i>weide</i> —c u l t i vated willow. |
| <i>Knollenbildung</i> —formatio n of knobs (tubercles.) | <i>Kümmern</i> —starvation. |
| <i>Knüppel</i> —round billet. | <i>künstlich</i> —artificially. |
| <i>konsolenförmig</i> —brack e t shaped. | <i>Kurzhacken</i> —fine hoeing. |

L.

| | |
|--|---|
| <i>Lage</i> —location, position. | <i>Längstrieb</i> —leading shoot. |
| <i>Landwirtschaft</i> —a g r i c u l ture. | <i>Lärche</i> —larch. |
| <i>Langholzflösserei</i> —log raft ing. | <i>Lärchenminiermotte</i> —la r c h miner moth. |
| <i>Langnutzholz</i> —logs. | = <i>pilz</i> —larch fungus. |

| | |
|---|--|
| <i>Larve</i> —larva. | <i>lichtstellen</i> —to provide light, to interrupt the leaf canopy. |
| <i>Lassreitel</i> —standard. | <i>Lichtwuchsbetrieb</i> —open stand system. |
| <i>Laubdach</i> —leaf canopy. =holz—broad-leaved tree. | <i>Linde</i> —linden. |
| <i>Lauffeuer</i> —running fire. =käfer—ground beetle. | <i>Löchersaat</i> —sowing in holes. =wirtschaft—group system of regeneration. |
| <i>Läuterungshieb</i> —cleaning. | <i>Lochpflanzung</i> —planting in holes. |
| <i>Lawsonscypresse</i> —Lawson's cypress. | <i>locker</i> —loose. |
| <i>lediglich</i> —merely. | <i>Lockerung</i> —loosening. |
| <i>Lehm Boden</i> —loamy soil. | <i>Lode</i> —sprout, medium-sized transplant. |
| <i>Leitergang</i> —ladder, side gallery. | <i>Lohlöffel</i> —barking spoon, barking iron. |
| <i>lichtbedürftig</i> —light demanding, intolerant. | <i>Lohporling</i> — <i>Polyporus Vaporous</i> . |
| <i>Lichtbedürfnis</i> —demand for light. | <i>Los</i> —lot. |
| = <i>cinfall</i> —light entrance. | <i>Loshieb</i> —severance cutting. =spülen—washing away. |
| = <i>genuss</i> —a mount of light. | <i>Lottbaum</i> —timber carriage, go-devil. |
| = <i>schlag</i> —light felling. | <i>lückig</i> —gaping. |
| = <i>standszuwachs</i> —open stand increment. | <i>lufttrocken</i> —air-dry. |
| <i>Lichtung</i> —heavy thinning. | <i>Lupine</i> —lupine. |
| <i>Lichtungshieb</i> —light felling, heavy thinning. | |

M.

| | |
|--|--------------------------------------|
| <i>Mächtigkeit</i> —thickness. | <i>männlich</i> —staminate (blooms). |
| <i>Maikäfer</i> —cockchafer, May bug. | <i>Markstrahl</i> —medullary ray. |
| <i>Mannbarkeit</i> —ability to bear fruit. | <i>Maserwuchs</i> —curly growth. |

| |
|---|
| <i>Massenbruch</i> —mass-break. =erzeugung—v o l u me production. =vermehrung—increase in numbers. =zuwachs—v o l u me increment. <i>massgebend</i> —sein—be the measure (for). <i>Massregel</i> —rule, measure. <i>Mast</i> —mast. <i>Mäuseplage</i> —mouse plague. <i>Meeresspiegel</i> —sea level. <i>Meistgebot</i> —highest bidding. <i>Mennig</i> —red lead, minium. <i>Minderung</i> —diminution. <i>Mischbestand</i> —mixed stand. =holzarten—m i x e d species. |
|---|

| |
|--|
| <i>Missbildung</i> —defective formation. <i>Mitfruchtbau</i> —simultaneous crop cultivation. <i>Mitteldurchmesser</i> —mean diameter. =rippc—midrib. =temperatur—mean temperature. =wald—coppice with standards. <i>Mollmaus</i> —mould mouse, vole. <i>Moment</i> —fact, force. <i>Moorerde</i> —moor soil. <i>Mulde</i> —depression. <i>Mure</i> —landslide. |
|--|

N.

| |
|---|
| <i>Nachbesserung</i> —l a t e r i m provement. =hieb—secondary felling. =lassen—abatement. =teil—residual part, superfluous part. <i>nachhaltig</i> —in a sustained manner. <i>Nadelholz</i> —conifer. <i>Nagetier</i> —rodent. |
|---|

| |
|--|
| <i>Nährstoff</i> —nutritive material. <i>naturgemäß</i> —natural, in accordance with nature. <i>Naturverjüngung</i> —natural regeneration. <i>Nebenberuf</i> —subsidiary occupation. =nutzung—minor produce. |
|--|

| | |
|--|--|
| <i>Neigungsgrad</i> —degree of slope. | <i>Niederwaldbetrieb</i> —coppice system. |
| <i>Nesterbruch</i> —nest-break, clump-break. | <i>Nonne</i> —nun, nun-moth. |
| <i>Nichtderholz</i> —wood not included under “Derholz,” | <i>Notjahr</i> —year of scarcity. |
| <i>Niederdurchforstung</i> —low thinning, thinning suppressed trees. | <i>Nutzbarkeit</i> —service, utility. |
| = <i>schlagsmenge</i> —amount of precipitation. | <i>Nutzen</i> —utility. |
| | <i>Nutzholz</i> —timber. |
| | <i>nutzhaltüchtig</i> —of good timber. |
| | <i>Nutzrinde</i> —timber bark. |
| | = <i>wert</i> —yield value, utility value. |

O.

| | |
|--|-----------------------------------|
| <i>Obenaufpflanzung</i> —planting above surface. | <i>Ochsenblut</i> —ox-blood. |
| <i>Oberförsterei</i> —forest district. | <i>Odung</i> —waste, barren land. |
| = <i>holz</i> —overwood. | <i>Orkan</i> —hurricane. |
| = <i>stander</i> —standard (reserved) tree. | <i>örtlich</i> —local. |
| | <i>ortsangesessen</i> —local. |
| | <i>Ortstein</i> —hardpan. |

P.

| | |
|--|-------------------------------------|
| <i>Pachtertrag</i> —lease. | <i>Pflanzgarten</i> —nursery. |
| <i>Pappel</i> —poplar. | = <i>holz</i> —planting peg, |
| = <i>plantage</i> —poplar plantation. | = <i>kamp</i> —transplant |
| <i>Peitschen</i> —whipping. | nursery. |
| <i>Pflanzenabfall</i> —plant offal, vegetable remains. | <i>Pflasterstrasse</i> —paved road. |
| | <i>Pilz</i> —mushroom, fungus. |

| | |
|--|--|
| <i>Pilzerkrankung</i> —fungus disease. | <i>Polyporusart</i> —species of <i>Polyporus</i> . |
| <i>Planieren</i> —leveling. | <i>Preisselbeere</i> —red whortleberry. |
| <i>planmäßig</i> —systematic. | <i>Presstorf</i> —pressed peat. |
| <i>Plänterbetrieb</i> —selection system. | <i>Prozentsatz</i> —percentage growth. |
| = <i>wald</i> —selection wood. | <i>Prügel</i> —round billet. |
| <i>Plattensaat</i> —spot sowing. | <i>Puppenräuber</i> —ground beetle, (pupa robber). |
| <i>Platz</i> —square. | |

Q.

| | |
|---|------------------------------------|
| <i>Quadratverband</i> —planting in squares. | <i>Quellen</i> —swelling. |
| <i>Quebrachoholz</i> —quebracho wood. | <i>Querschnitt</i> —cross section. |

R.

| | |
|--|---|
| <i>Rabattenpflanzung</i> —sowing on ridges. | <i>Raubfliege</i> —fly of prey. |
| <i>Rabattierung</i> —bordering. | = <i>insekt</i> —insect of prey. |
| <i>Raff=und Leseholz</i> —fallen dead wood. | = <i>wirtschaft</i> —r o b b e r management. |
| <i>Rajolen</i> —trench plowing. | <i>Raummeter</i> —stacked cubic measure, stacks. |
| <i>Rajolstreif</i> —trench strip. | <i>Räumung</i> —removal. |
| <i>Randbesamung</i> —border seeding. | <i>Raupenleim</i> —insect paste. |
| <i>raschwüchsig</i> —rapidly growing. | <i>Rebpfahl</i> —vine pole. |
| <i>Raschwüchsigkeit</i> —rapidity of growth. | <i>Rechstreu</i> —litter of dead leaves or needles. |

| | |
|---|---|
| <i>Rechtsanspruch</i> —l e g a l claim. | <i>Rindenbrand</i> —bark burning. =gewebe—bark tissue. |
| <i>Regenguss</i> —heavy d o w n pour. | <i>Rindviehmist</i> —cow dung. |
| <i>Rehstand</i> —deer stock. =wild—roe deer. | <i>Ringschäle</i> —ring shake. |
| <i>Reife</i> —maturity. | <i>Rinne</i> —gutter. |
| <i>Reihe</i> —row. | <i>roden</i> —clear. |
| <i>Reihenverband</i> —planting in rows. | <i>Rodung</i> —clearing. |
| <i>rein</i> —pure, unmixed. | <i>Roggen</i> —rye. |
| <i>Reinigungshieb</i> —cleaning cutting. | <i>Rohsortiment</i> —rough assort- ment. |
| <i>Reisig</i> —brushwood, faggot wood. | <i>Rotbuche</i> —red beech. =erle—red alder. =fäule—red rot. =wild—red deer. |
| <i>Rentabilität</i> —rentability. | <i>Rötelmaus</i> —bank vole. |
| <i>Revier</i> —district. | <i>Rotte</i> —gang, band. |
| <i>Riesen</i> —sliding. | <i>rücken</i> —transport, remove. |
| <i>Riesweg</i> —slide. | <i>Rückerlohn</i> —transportation wage. |
| <i>Rille</i> —rill. | <i>Ruckwagen</i> —sledge. |
| <i>Rillendrücker</i> —rill-board. =zieher—rill-marker. | <i>Rückweg</i> —slideway. |
| <i>Rinde</i> —bark. | <i>Rundholz</i> —log. |
| | <i>Rüsselkäfer</i> —weevil. |
| | <i>Rütteln</i> —shaking. |

S.

| | |
|--|---|
| <i>Saat</i> —sowing. =kamp—seed nursery. | <i>Sähorn</i> —sowing horn. =maschine—s o w i n g m a- chine. |
| <i>Sälatte</i> —sowing lath. | |
| <i>Saftzeit</i> —sap time. =zersetzung—decomposi- tion of sap. | <i>Samen</i> —seed. =beschaffung— procur- ing seed. |
| <i>Sägmühlenbetrieb</i> —saw mill practice. | =e r t r a g s f ä h i g k e i t— ability to bear seed. |

| | |
|--|--|
| <i>Samenhandlung</i> —s e e d ' es- tablishment. | <i>Schlupfwespe</i> —ichneumon fly. |
| = <i>schlag</i> —seeding fell- ing. | <i>schmalspurig</i> —n a i r r o w gauge. |
| <i>Sämerei</i> —seeds. | <i>schmarotzend</i> —parasitic. |
| <i>Sandboden</i> —sandy soil. | <i>Schmarotzer</i> —parasite. |
| <i>Särucksack</i> —sowing sack for the back. | <i>schnabelsförmig</i> —beak-sh a p- ed, rostrate. |
| <i>Säumschlag</i> —strip felling. | <i>Schneebruch</i> —snow-break. = <i>druckgefahr</i> —danger of snow pressure. |
| <i>Schaft</i> —bole, trunk. | <i>Schneidestreu</i> —litter from lopping. |
| <i>schälen</i> —peel. | <i>Schneisennetz</i> —network of lanes. |
| <i>schattenertragend</i> —s h a d e - enduring, tolerant. | <i>Schnittprobe</i> —cutting test. |
| <i>Schattengitter</i> —s h a d e - screen. | <i>Schönheitswaldung</i> —beauty forest. |
| = <i>holz</i> —tolerant tree. | <i>Schonung</i> —closed wood. |
| <i>Scheide</i> —sheath. | <i>Schule</i> —transplant nursery. |
| <i>Scheiter</i> —split billet. | <i>Schulkämp</i> —transplant nur- sery. |
| <i>Schichtnitzholz</i> —s t a c k e d timber. | <i>Schuppen</i> —spade. |
| <i>Schieneweg</i> —railway. | <i>Schutzbedürfnis</i> —d e m a n d for shelter. |
| <i>Schilf</i> —reed. | = <i>streifen</i> —p r o tective strip. |
| <i>Schirmbestand</i> —s h e l t e r wood. | = <i>waldung</i> —protective forest. |
| = <i>schlag</i> —shelter wood felling. | <i>Schwarzerle</i> —black alder. = <i>wild</i> —wild boar. |
| <i>schirmförmig</i> —u m b r e l l a - shaped. | <i>Schwine</i> —swine dung. |
| = <i>frei</i> —free of canopy. | = <i>eintrieb</i> —p a n- nage. |
| <i>Schlag</i> —felling area. | = <i>mast</i> —s w i n e mast. |
| = <i>fläche</i> —cut over area. | <i>Schwerpunkt</i> —imp o r t a n t point. |
| = <i>führung</i> —a r r a n g e- ment off fellings? | |
| <i>Schlagruhe</i> —period of rest from cutting. | |
| <i>Schleifholz</i> —pulp wood. | |
| = <i>weg</i> —road, s l i d e, sideway. | |
| <i>Schlittweg</i> —sled road. | |
| <i>Schlucht</i> —ravine, gully. | |

Schwinden—shrinking.
Senkholz—sunken wood.
Setzreis—cutting.
 =*stange*—slip.
Sickergraben—lateral trench.
Sitchafichte—Sitka spruce.
Sonne n b estrahlung—sun-light.
Spaltbarkeit—cleavability, fissibility.
 =*pflanzung*—n o t c h planting.
Spannkette—drag-c h a i n, trigger.
spätblühend—late blooming.
Spaten—spade.
Specktorf—rich peat.
sperrig—with wide-spreading branches.
Spiegelrinde—silver bark.
Sprengymast—quarter mast.
 =*schräube*—b l a s t ing screw.
Sriegelzaun—tilt fence.
sprungweise—abrupt.
Spurweite—gauge.
Staatsgewalt—e x e c u t i v e power.
Stamm—stem, trunk.
 =*abschnitt*—trunk section.
 =*achse*—stem axis.
 =*feuer*—trunk fire.
 =*teil*—part of trunk.
Stand—stand.
 =*ort*—locality.
Stange—pole, stem, stalk.

Siangenholzalte—a g e o f pole wood.
 =*ort*—pole wood, locality containing pole wood.
Starklode—large transplant.
Stauwerk—water-s t o w i n g works (locks, dams, etc.)
stechen—to spade.
Steckling—cutting.
Stecksaat—dibbling.
Steig—path.
Steinbahn—stone road.
stellenweise—in places, spot-wise.
Sticktorf—spaded peat.
Stock—stump.
 =*holz*—stump wood.
Stoff—material.
Stoss—stack.
Strafgesetzbuch—p e n a l code.
Strauch—shrub.
 =*weide*—shrubby willow.
 =*werk*—brushwood.
Streichtorf—molded peat.
 =*rippe*—wooden r u n ner.
Streifen—strip.
 =*saat*—strip sowing.
Streu—litter.
 =*decke*—litter cover.
 =*ertrag*—litter yield.
 =*nutzung*—r e moval of litter.

| | |
|---|---|
| <i>Strychninweizen</i> —s t r y c h - nine wheat. | <i>Stummel pflanze</i> —stump plant. |
| <i>Stücklohn</i> —piece wage. =zahl—number. | <i>Stundung</i> —delay granted in payments, respite, grace. |
| <i>stufig</i> —graduated, sturdy. | <i>Stürzen</i> —pitching. |
| <i>Stummel</i> —snag, stump. | |
| <i>Stummeln</i> —lopping. | |

T.

| | |
|--|--|
| <i>Tagwurzel</i> —shallow root. | <i>Tonboden</i> —clay soil |
| <i>Taxe</i> —rate, price. | <i>Torf</i> —turf, peat. =brei—peat pulp. |
| <i>Teer</i> —tar, pitch. =öl—tar oil. | =mull—peat mould. =stich—spading of peat. |
| <i>schwelerei</i> —distillation of tar, production of tar from stumps. | <i>Tränkung</i> —saturation, absorption. |
| <i>Teeren</i> —tarring. | <i>Tränkungsfähigkeit</i> —power of absorption. |
| <i>Tenne</i> —floor, barn-floor. | <i>Traubenkirsche</i> —bird cherry. |
| <i>Terrain</i> —ground, country. | <i>Trieb</i> —shoot. |
| <i>Terrassieren</i> —terracing. | <i>Triften</i> —floating. |
| <i>Thomasschlacke</i> —Thomass slag. | <i>Triftweg</i> —passage for cattle, grazing path. |
| <i>tiefgründig</i> —deep (soil). =rissig—deep-fissured. =wurzelnd—deep-rooted. | <i>Trockenfäule</i> —dry rot. =gewicht—dry weight. =torf—dry turf. |
| <i>Tiergattung</i> —animal species. | <i>Turnus</i> —rotation. |
| <i>tierisch</i> —animal. | |

U.

| | |
|--|---|
| <i>übererden</i> —covering with earth. | <i>Umwehrung</i> —surrounding protection. |
| = <i>halter</i> —reserved stand ard. | <i>ungleichaltrig</i> —uneven-aged. |
| = <i>schwemmung</i> —flood. | <i>Unkrautdecke</i> —cover of weeds. |
| = <i>sieben</i> —sieving over. | = <i>streu</i> —weed litter. |
| = <i>wallungsrand</i> —edge of wound. | = <i>wuchs</i> —weed growth. |
| <i>Ulme</i> —elm. | <i>Unland</i> —waste land. |
| <i>Umbruch</i> —breaking up. | <i>Unterbau</i> —under planting. |
| <i>umgraben</i> —dig up. | = <i>grundpflug</i> —subsoil plow. |
| <i>Umhacken</i> —hoeing. | = <i>holz</i> —underwood. |
| <i>umklappen</i> —flap over. | <i>unverschult</i> —untransplant ed. |
| <i>Umlichtung</i> —opening out. | <i>üppig</i> —luxuriant. |
| <i>umschippen</i> —shovel about. | <i>Urbarmachung</i> —cultivation. |
| <i>umstechen</i> —spade about. | <i>Urwald</i> —virgin wood. |
| <i>Umtrieb</i> —rotation. | |
| <i>Umtriebszeit</i> —time of rotation. | |

V.

| | |
|---|---|
| <i>Vegetationsruhe</i> —arrest of growth. | <i>Verfilzung</i> —matting. |
| <i>Verangerung</i> —overgrowth of weeds. | <i>Verjüngung</i> —regeneration. |
| <i>Verarbeitung</i> —working up. | <i>Verkaufseinheit</i> —selling unit. |
| <i>Verband</i> —arrangement. | <i>verkittet</i> —cemented. |
| <i>Verbreitungsgebiet</i> —region of distribution. | <i>Verkohlung</i> —charcoaling, charring. |
| <i>Verbuchung</i> —entering into books, book-keeping. | <i>Verpflanzung</i> —transplanting. |
| <i>Verdämmung</i> —suppression. | <i>verpuppen</i> —to change into a pupa. |
| <i>Verdunstung</i> —evaporation. | <i>verschulen</i> —transplant. |
| <i>Verfahren</i> —procedure, process. | <i>Verschulungsbeet</i> —transplant bed. |

| | |
|---|--|
| <i>verschwindend</i> —negligible. | <i>Vollsaat</i> —full sowing. |
| <i>Versteigerung</i> —auction. | <i>Vorarbeit</i> —preliminary work. |
| <i>versuchsweise</i> —experimentally. | <i>Voraussetzung</i> —presumption, condition. |
| <i>Vertilgungsmassregel</i> —measure for extermination. | <i>Vorbereitungshieb</i> —preparatory cutting. |
| <i>Verunkrautung</i> —overgrowth of weeds. | <i>Vorbeugungsmassregel</i> —preventive measure. |
| <i>Verwendungsweise</i> —manner of use. | <i>Vorfruchtbau</i> —preliminary crop cultivation. |
| <i>Verwittern</i> —decomposition. | <i>Vornutzung</i> —yield of thinnings. |
| <i>Verwitterung</i> —weathering. | <i>Vorschrift</i> —direction. |
| <i>Verwitterungsboden</i> —disintegrated soil. | <i>Vorsprung</i> —projection, start. |
| <i>Verziehung</i> —distortion. | <i>vorwiegend</i> —predominating. |
| <i>Verzollung</i> —paying (estimating) of customs. | <i>Vorwuchs</i> —advance growth. |
| <i>Vogelbeere</i> —mountain ash. | <i>Vorwuchshorst</i> —group advanced in growth. |
| <i>volkwirtschaftlich</i> —economic. | |

W.

| | |
|---|---|
| <i>Wachsraum</i> —growing space. | <i>Waldbehandlung</i> —forest treatment. |
| <i>Wachstumsbedingung</i> —condition of growth. | <i>=besitz</i> —forest property. |
| <i>Wachstumsenergie</i> —energy of growth. | <i>=boden</i> —forest soil. |
| <i>Wadel</i> —felling time. | <i>=brand</i> —forest fire. |
| <i>Wald</i> —wood. | <i>=feldbau</i> —forest and field cultivation, combination of field crops with high forest. |
| <i>=anlage</i> —forest plantation. | |
| <i>=bahn</i> —forest railway. | |
| <i>=bau</i> —silviculture. | |

| | |
|---|--|
| <i>Waldflora</i> —forest flora. =grund—forest soil. =hammer—range hammer. =mantel—shelter belt. =pflug—forest plow. =rebe—clematis. =teufel—forest devil. =weide—forest pasture. <i>waldtrocken</i> —forest-dried. <i>Waldung</i> —woodland. <i>Walnuss</i> —walnut. <i>Wanderkamp</i> —temperate nursery. <i>Wassergehalt</i> —water content. =reservoir—water reservoir. =wirtschaft—wattle management. <i>Wegbauten</i> —road construction. =planum—road surface. <i>Wegenetz</i> —network of roads. <i>Weichholz</i> —soft wood. <i>Weide</i> —pasture. =vieh—cattle. <i>Weidenheger</i> —willow culture. =hegerbetrieb—willow culture. =korb—willow basket. =röschen—willow herb. <i>Weisserle</i> —white alder. =esche—white ash. | <i>Weisstanne</i> —silver fir. =tannenpilz—silver fir fungus. <i>Welle</i> —faggot. <i>Werfen</i> —warping. <i>Werg</i> —tow. <i>Werterzeugung</i> —value production. <i>Weymuthskiefer</i> —white pine. <i>widerrechtlich</i> —illegal. <i>Widerstandsfähigkeit</i> —power of resistance. <i>Wiesenanlage</i> —meadow cultivation. <i>Wildbach</i> —torrent. =garten—game preserve. =park—game park. <i>Wildlingspflanze</i> —forest seedling plant. <i>Wimmerwuchs</i> —avy growth. <i>Windbruch</i> —wind-break. =mantel—wind-belt. =wurf—wind-warping. <i>Wipfelbruch</i> —top-break. =feuer—top (crown) fire. <i>Wirbelwind</i> —whirlwind. <i>wirtschaftlich</i> —scientific, economic. <i>Wirtschaftswald</i> —managed wood. <i>Wollappen</i> —woolen cloth. <i>Wühlratte</i> —vole, burrowing rat. |
|---|--|

| |
|--|
| <i>Wundhacken</i> —hoeing up. =haltung—k e e p i n g (the soil) in a turn- ed-up condition. =pflügen—plowing up. <i>Wurzel</i> —root. =faser—root fibril. =schwamm—r o o t fun- gus. |
|--|

| |
|--|
| <i>Wurzeltorf</i> —rooty peat. =verbreitung—r o o t distribution. =vermögen—r o o t ing power. <i>wurzellos</i> —rootless. <i>Wüste</i> —waste land, desert. |
|--|

Z.

| |
|--|
| <i>zähe</i> —tough. <i>zerfallen</i> —decompose. <i>Zersetzung</i> —decomposition. <i>Zersetzungerscheinung</i> —de- composition phenom- enon. <i>Ziehhacke</i> —draw-hook. <i>Zirbelkiefer</i> —Cembran pine. <i>Zopfdurchmesser</i> —top diam- eter, smallest diam- ter. |
|--|

| |
|---|
| <i>Zuchtpflanze</i> —cultivated plant. <i>Zufuhr</i> —addition. <i>Zukunftsstamm</i> —f u t u r e trunk. <i>zuwachskräftig</i> —vigorous ly growing. <i>Zwischennutzung</i> —interme- diate yield. =stufe—intermediate stage (or step.) |
|---|

